









Design: Jörg Bernauer

Things used to be complicated. We've simplified matters. Its functions respond automatically to the body's needs to ensure an ideal sitting position with minimum fuss.

















BASIC SPECIFICATION (further functions and equipment features on the next page) Padded, Mesh **Function** - suitable for up to 140 kg body weight - point-synchronised mechanism with integral automatic weight setting mechanism - 1:3,5 tilt ratio between seat and backrest - pivot angle of backrest 33° (26° to the back / 7° to the front with seat tilt) - movement with optimum contact with the pelvis throughout pivot angle Body weight adjustment - automatic adjustment to individual body weight - approx. 50-140 kg, depending on body proportions Synchronised locking - opening angle can be limited individually in 4 positions (0° / 8° / 16° / 26°) - seat-backrest opening angle 91° Seat tilt - 3D seat movement triggered by shifting the body's centre of gravity into different sitting positions - integral seat tilt up to 4° by lowering the front edge - integral lateral left-right movement up to 4° Seat height adjustment - 40-54 cm - safety gas-lift Seat depth adjustment - 39-46 cm - seat depth adjustment by 7 cm - with auto-return mechanism Seat - 65 mm CFC-free PU foam cushion - foam density 70 kg/m³ - clip-on upholstery, easy to replace by a service employee - PP (polypropylene) seat element - fitting the controls to the seat element - controls with diagrams for intuitive operation **Backrest** - cnx99 / cnx98: 60 cm - cnx95: 81 cm - allows dynamic lateral left-right movement - PU moulded foam cushion 40 mm, CFC-free, with ergonomic contour - foam density 60 kg/m³ - clip-on upholstery, easy to replace by a service employee - PP backrest shell - cnx89 / cnx88: 60 cm - cnx85: 81 cm - allows dynamic lateral left-right movement - self-supporting, glass-fibre reinforced PP frame in black (RAL 9005) or white grey (RAL 7035), allows dynamic movement to the left and right knitted 3D mesh (100% polyester), black **Neck support** - cnx99 / cnx89: 9 cm height adjustable and continuous swivel 30° - neck support for chairs with fabric upholstery in skai Evida black, a breathable PU-material - neck support in leather for models in leather upholstery - fits perfectly to head shape and position, avoiding pressure sores - cnx95: front of the headrest always upholstered in black leather Premium Plus for chairs with fabric upholstery; for chairs in leather upholstery in leather colour. Back of headrest is always upholstered in the same colour as the back shell. Lumbar support - cnx99 / cnx98 / cnx95: lumbar support height-adjustable by 10 cm Arm supports - 3D arm supports - 13° left/right swivel - height-adjustable by 11 cm - arm support pad width-adjustable by 1.5 cm - arm support pad can be moved forwards by 2 cm Castors - load-dependent braked double hard castors - PP black, Ø 65 mm, for carpets Standards / Certificates - GS symbol from TÜV Rheinland LGA Products GmbH / DIN EN 1335 / DIN 4551 - EU directive 90 / 270 EEC for display screen equipment / DIN EN ISO 9241 - ANSI / BIFMA X 5.1 tested - ergonomics certificate from LGA Nuremberg (Ergonomics Approved) - FEMB level 3 certification - Der Blaue Engel certification (RAL-UZ 117) - Greenguard certification - RedDot Design award 2020 - iF Design Award 2018 - German Design Award 2018 Warranty - 5 years (see terms and conditions of sale and delivery) Padded conference swivel chair, Mesh conference swivel chair Function - suitable for up to 140 kg body weight - point-synchronised mechanism with integral automatic weight setting mechanism - 1:3,5 tilt ratio between seat and backrest - pivot angle of backrest 30° (23° to the back / 7° to the front with seat tilt) - movement with optimum contact with the pelvis throughout pivot angle Body weight adjustment automatic adjustment to individual body weight - approx. 50-140 kg, depending on body proportions

- opening angle can be limited individually in 2 positions (0° / 23°)

seat-backrest opening angle 91°

Synchronised locking

Padded conference swivel chair, Mesh conference swivel chair

Seat tilt - 3D seat movement triggered by shifting the body's centre of gravity into different sitting positions

- integral seat tilt up to 4° by lowering the front edge

- integral lateral left-right movement up to 4°

Seat height adjustment - 40-54 cm

- with additional mechanical spring

Seat depth adjustment - 39-44 cm

- seat depth adjustment by 5 cm - with auto-return mechanism

Seat - 65 mm CFC-free PU foam cushion

- foam density 70 kg/m³

- clip-on upholstery, easy to replace by a service employee

- PP seat element

fitting the controls to the seat elementcontrols with diagrams for intuitive operation

Backrest - cnx91: 81 cm

- cnx90: 60 cm

- allows dynamic lateral left-right movement

- PU moulded foam cushion 40 mm, CFC-free, with ergonomic contour

- foam density 60 kg/m³

- clip-on upholstery, easy to replace by a service employee

- PP backrest shell - cnx81: 81 cm - cnx80: 60 cm

- allows dynamic lateral left-right movement

- self-supporting, glass-fibre reinforced PP frame in black (RAL 9005) or white grey (RAL 7035),

allows dynamic movement to the left and right - knitted 3D mesh (100% polyester), black

Neck support - cnx91: front of the headrest always upholstered in black leather Premium Plus for chairs with fabric

upholstery; for chairs in leather upholstery in leather colour. Back of headrest is always upholstered in

the same colour as the back shell.

Lumbar support - cnx91 / cnx90: lumbar support height-adjustable by 10 cm

Arm supports - 3D arm supports - 13° left/right swivel

- height-adjustable by 11 cm

- arm support pad width-adjustable by 1.5 cm - arm support pad can be moved forwards by 2 cm

Glides - ultra glides, black

Standards / Certificates - GS symbol from TÜV Rheinland LGA Products GmbH / DIN EN 16139

- FEMB level 3 certification

- Der Blaue Engel certification (RAL-UZ 117)

- Greenguard certification

Warranty - 5 years (see terms and conditions of sale and delivery)

dimensions

cnx99 / cnx98

with arm supports: 20 kg / 18 kg




with arm supports: 22 kg




cnx91 + 3314

with arm supports: 22 kg




cnx90 + 3314

with arm supports: 20 kg




cnx89 / cnx88

with arm supports: 20 kg / 18 kg




cnx85

with arm supports: 22 kg



cnx81 + 3314

with arm supports: 22 kg



cnx80 + 3314

with arm supports: 20 kg

fabric requi	rement			
model	same colour	different colours	different colours	
	seat and backrest	seat	backrest	neck support
cnx99	1,00 x 1,30 m	0,75 x 1,30 m	0,75 x 1,30 m	0,54 x 1,30 m
cnx98	1,00 x 1,30 m	0,75 x 1,30 m	0,75 x 1,30 m	-
cnx95	1,30 x 1,30 m	0,75 x 1,30 m	1,25 x 1,30 m	-
cnx91	1,30 x 1,30 m	0,75 x 1,30 m	1,25 x 1,30 m	-
cnx90	1,00 x 1,30 m	0,75 x 1,30 m	0,75 x 1,30 m	-
cnx89	-	0,75 x 1,30 m	-	0,54 x 1,30 m
cnx88	-	0,75 x 1,30 m	-	-
cnx85	-	0,75 x 1,30 m	-	-
cnx81	-	0,75 x 1,30 m	-	-
cnx80	-	0,75 x 1,30 m	-	-

leather requirement on request

Padded

model	art. no.					price catego	ry for uphol	stery fabric
	cnx99	04 Urban Nova Era Special fabric	05 Fame Xtreme Step Cura	06 Evida Special fabric	07 Remix 3 Special fabric	 48 Leather Ascot	09 COM	19 Customer leather
	cnx98							
	cnx95							

option	description		code	cnx99	cnx98	cnx95
upholstery	•	ed, back not upholstered	P840	•	•	-
	backrest front and back		P850	0	0	•
	price depending on the		04			-
		3 ,	05			-
			06			-
			07			-
			17			-
			48			-
			09			-
			19			-
model	seat and backrest shell	black	3961	•	•	•
		white grey	3962	0	0	0
operating lever	black		3721	•	•	•
colour	white grey		3725	0	0	0
	blue		3726	0	0	0
	green		3727	0	0	0
	orange		3728	0	0	0
	red		3729	0	0	0
arm supports	3D arm supports	black, with soft pads	3566	•	•	•
		black, with leather finish	3586	0	0	0
	3D arm supports XL	black, with pads made of	3538	0	0	0
		synthetic leather				
seat	COMFORT		3750	•	•	•
	BOXSPRING		3751	0	0	0
backrest bar colour	aluminium	black	3801	•	•	•
		polished	3803	0	0	0
		white grey	3805	0	0	0
base	PA	black	3221	•	•	•
		white grey	3225	0	0	0
	design aluminium	black	3241	0	0	0
		polished	3243	0	0	0
		white grey	3245	0	0	0
castors / glides	hard castors Ø 65 mm, f	or carpets	3103	•	•	•
	soft castors Ø 65 mm, fo	or hard floors	3104	0	0	0
	hard castors Ø 65 mm, c	hromed, for carpets	3113	0	0	0
	soft castors Ø 65 mm, ch	nromed, for hard floors	3114	0	0	0

recommended retail price in EUR • basic specification • optional

Connex2 Padded

option	description	code	cnx99	cnx98	cnx95
counter chair	glides and footrest ring	3107	0	0	-
	(only in conjunction with aluminium base; without sliding seat 3420)				
	felt glides and footrest ring	3117	0	0	-
	(only in conjunction with aluminium base; without sliding seat 3420)				
seat height	60-85 cm for counter chair	3305	0	0	-
	(only in conjunction with aluminium base; without sliding seat 3420)				
	40-54 cm, black	3340	•	•	•
	40-54 cm with depth spring, black	3341	0	0	0
	46-60 cm with depth spring, black	3343	0	0	0
more features	seat depth adjustment	3420	•	•	•
	(39 - 46 cm, with return spring)				
	automatic tension control*	3450		•	•
	(approx. 50 - 140 kg)				
	lumbar support	3817	0	0	0
	(depth adjustable by 2 cm)				
	lumbar support	3820	•	•	•
	(height adjustable by 10 cm)				
	integral 3D seat movement	3440	•	•	•
	coathanger black (PA)	3918	0	-	-
	coathanger black (aluminium)	3920	-	0	-
	hygienic neck support cover (1 piece), black	0037	0	-	-
	seat and backrest upholstered in different colours**	P001	0	0	0
	diamond stitching small on seat and back	PN01	0	0	0
	diamond stitching large on seat and back	PN02	0	0	0

^{*} depending on body proportions

^{**} P001: price group 17 double the price

Mesh

model	art. no.						price catego	ry for uphol	stery fabric
	cnx89	04 Urban Nova Era Special fabric	05 Fame Xtreme Step Cura	06 Evida Special fabric	07 Remix 3 Melange Special fabric	Plus	48 Leather Ascot	09 COM	19 Customer leather
	cnx88								
	cnx85								

	CHX65						
option	description		code	cnx89	cnx88	cnx85	
model	seat and backrest shell	black	3961	•	•	•	
		white grey	3962	0	0	0	
operating lever	black		3721	•	•	•	
colour	white grey		3725	0	0	0	
	blue		3726	0	0	0	
	green		3727	0	0	0	
	orange		3728	0	0	0	
	red		3729	0	0	0	
arm supports	3D arm supports	black, with soft pads	3566	•	•	•	
		black, with leather finish	3586	0	0	0	
	3D arm supports XL	black, with pads made of synthetic leather	3538	0	0	0	
seat	COMFORT		3750	•	•	•	
	BOXSPRING		3751	0	0	0	
backrest bar colour	aluminium	black	3801	•	•	•	
		polished	3803	0	0	0	
		white grey	3805	0	0	0	
mesh	black		2080	•	•	•	
	white grey		2023	0	0	0	
	light grey		2004	0	0	0	
	anthracite		2017	0	0	0	
	stone		2018	0	0	0	
	emerald		2019	0	0	0	
	sapphire		2020	0	0	0	
	olive		2021	0	0	0	
	Melange black		2040	0	0	0	
	Melange anthracite		2041	0	0	0	
	Melange green		2042	0	0	0	
	Melange taupe		2043	0	0	0	
base	PA	black	3221	•	•	•	
		white grey	3225	0	0	0	
	design aluminium	black	3241	0	0	0	
		polished	3243	0	0	0	
		white grey	3245	0	0	0	
castors / glides	hard castors Ø 65 mm, f	or carpets	3103	•	•	•	
	soft castors Ø 65 mm, fo	or hard floors	3104	0	0	0	
	hard castors Ø 65 mm, c	hromed, for carpets	3113	0	0	0	
	soft castors Ø 65 mm, ch	·	3114	0	0	0	

Connex2 Mesh

option	description	code	cnx89	cnx88	cnx85	
counter chair	glides and footrest ring	3107	0	0	-	
	(only in conjunction with aluminium base; without sliding seat 3420)					
	felt glides and footrest ring	3117	0	0	-	
	(only in conjunction with aluminium base; without sliding seat 3420)					
seat height	60-85 cm for counter chair	3305	0	0	-	
	(only in conjunction with aluminium base; without sliding seat 3420)					
	40-54 cm, black	3340	•	•	•	
	40-54 cm with depth spring, black	3341	0	0	0	
	46-60 cm with depth spring, black	3343	0	0	0	
more features	seat depth adjustment	3420	•	•	•	
	(39 - 46 cm, with return spring)					
	automatic tension control*	3450	•	•	•	
	(approx. 50 - 140 kg)					
	lordomatic (lumbar support)	3818	0	0	0	
	(autoadaptive to 7 cm)					
	head cushion in leather	PK00	-	-	0	
	integral 3D seat movement	3440	•	•	•	
	coathanger black (PA)	3918	0	-	-	
	coathanger black (aluminium)	3920	-	0	-	
	hygienic neck support cover (1 piece), black	0037	0	-	-	

^{*} depending on body proportions

Padded conference swivel chair

model	art. no.						price catego	ry for uphol	stery fabric
	cnx91	04 Urban Nova Era Special fabric	05 Fame Xtreme Step Cura	06 Evida Special fabric	•	17 Comfort Plus Steelcut Trio 3 Special fabric	48 Leather Ascot	09 COM	19 Customer leather
	cnx90								

7	cnx90				
option	description		code	cnx91	cnx90
upholstery	backrest front upholster	ed, back not upholstered	P840	-	•
	backrest front and back	upholstered	P850	•	0
	price depending on the		04	-	
			05	-	
		-	06	-	
		-	07	-	
		-	17	-	
		-	48	-	
		-	09		
		-	19		
model	seat and backrest shell	black	3961	•	•
model	seat and backrest shen	white grey	3962		0
operating lever	black	write grey	3721	•	•
colour			3721	0	0
coloui	white grey			0	
	blue		3726		0
	green		3727	0	0
	orange		3728	0	0
	red		3729	0	0
arm supports	3D arm supports	black, with soft pads	3566	•	•
		black, with leather finish	3586	0	0
	3D arm supports XL	black, with pads made of synthetic leather	3538	0	0
seat	COMFORT		3750	•	•
	BOXSPRING		3751	0	0
backrest bar colour	aluminium	black	3801	•	•
		polished	3803	0	0
		white grey	3805	0	0
base	aluminium	polished, 4-star	3233	•	•
		bright chromed, 4-star	3235	0	0
		polished, 4-star, for castors	3238	0	0
castors / glides	hard castors Ø 65 mm, f	or carpets	3103	0	0
	(only in conjunction with base 3		2104	0	
	soft castors Ø 65 mm, for (only in conjunction with base 3		3104	O	O
	hard castors Ø 65 mm, c		3113	0	0
	(only in conjunction with base 3		נוונ	O	O
	soft castors Ø 65 mm, ch		3114	0	0
	(only in conjunction with base 3		J11-7	<u> </u>	<u> </u>
	ultra glides, for carpeted		3106	•	•
	(only possible in conjunction wit	_	2.03	-	-
	base glides with felt, for	delicate and smooth floors	3116	0	0
	(only possible in conjunction wit	h base 3233/35)			

recommended retail price in EUR • basic specification • optional

Connex2

Padded conference swivel chair

option	description	code	cnx91	cnx90	
seat height	40-54 cm with depth spring, chromed, for glides (only possible in conjunction with base 3233/35)	3314	•	•	
	41-47 cm with auto-return mechanism, chromed, for glides (only possible in conjunction with base 3233/35)	3315	0	0	
	41-47 cm with auto-return mechanism, chromed, for castors (only in conjunction with base 3238)	3316	0	0	
	40-54 cm with depth spring, black, for castors (only in conjunction with base 3238)	3341	0	0	
more features	seat depth adjustment (39 - 44 cm, with return spring)	3420	•	•	
	automatic tension control* (approx. 50 - 140 kg)	3450	•	•	
	lumbar support (depth adjustable by 2 cm)	3817	0	0	
	lumbar support (height adjustable by 10 cm)	3820	•	•	
	integral 3D seat movement	3440	•	•	
	coathanger black (aluminium)	3920	-	0	
	seat and backrest upholstered in different colours**	P001	0	0	
	diamond stitching small on seat and back	PN01	0	0	
	diamond stitching large on seat and back	PN02	0	0	

^{*} depending on body proportions

^{**} P001: price group 17 double the price

Mesh conference swivel chair

model	art. no.						price catego	ry for uphol	stery fabric
	cnx81	04 Urban Nova Era Special fabric	Step	06 Evida Special fabric	07 Remix 3 Melange Special fabric	Plus	48 Leather Ascot	09 СОМ	19 Customer leather
	cnx80								

	cnx80				
option	description		code	cnx81	cnx80
model	seat and backrest shell	black	3961	•	•
		white grey	3962	0	0
operating lever	black		3721	•	•
olour	white grey		3725	0	0
	blue		3726	0	0
	green		3727	0	0
	orange		3728	0	0
	red		3729	0	0
rm supports	3D arm supports	black, with soft pads	3566	•	•
		black, with leather finish	3586	0	0
	3D arm supports XL	black, with pads made of synthetic leather	3538	0	0
eat	COMFORT		3750	•	•
	BOXSPRING		3751	0	0
ackrest bar colour	aluminium	black	3801	•	•
		polished	3803	0	0
		white grey	3805	0	0
nesh	black		2080	•	•
	white grey		2023	0	0
	light grey		2004	0	0
	anthracite		2017	0	0
	stone		2018	0	0
	emerald		2019	0	0
	sapphire		2020	0	0
	olive		2021	0	0
	Melange black		2040	0	0
	Melange anthracite		2041	0	0
	Melange green		2042	0	0
	Melange taupe		2043	0	0
oase	aluminium	polished, 4-star	3233	•	•
		bright chromed, 4-star	3235	0	0
		polished, 4-star, for castors	3238	0	0
astors / glides	hard castors Ø 65 mm, for	or carpets	3103	0	0
	soft castors Ø 65 mm, fo	or hard floors	3104	0	0
	hard castors Ø 65 mm, c (only in conjunction with base 3		3113	0	0
	soft castors Ø 65 mm, ch (only in conjunction with base 3		3114	0	0
	ultra glides, for carpeted	_	3106	•	•
	base glides with felt, for (only possible in conjunction wit	delicate and smooth floors	3116	0	0

recommended retail price in EUR • basic specification • optional

Connex2

Mesh conference swivel chair

option	description	code	cnx81	cnx80	
seat height	40-54 cm with depth spring, chromed, for glides (only possible in conjunction with base 3233/35)	3314	•	•	
	41-47 cm with auto-return mechanism, chromed, for glides (only possible in conjunction with base 3233/35)	3315	0	0	
	41-47 cm with auto-return mechanism, chromed, for castors (only in conjunction with base 3238)	3316	0	0	
	40-54 cm with depth spring, black, for castors (only in conjunction with base 3238)	3341	0	0	
more features	seat depth adjustment	3420	•	•	
	(39 - 44 cm, with return spring)				
	automatic tension control* (approx. 50 - 140 kg)	3450	•	•	
	lordomatic (lumbar support) (autoadaptive to 7 cm)	3818	0	0	
	head cushion in leather	PK00	0	-	
	integral 3D seat movement	3440	•	•	
	coathanger black (aluminium)	3920	-	0	

^{*} depending on body proportions